


AGRICULTURE



CALTEX
LUBRICANTS
CAN HELP YOU
**RUN
BETTER
LONGER**



LUBRICANTS FOR THE AGRICULTURE INDUSTRY

Yield Greater Reliability

Caltex lubricants are formulated to help your agriculture equipment perform year-round, from planting season to peak harvest. Caltex's commitment of reliability extends beyond your equipment. Every world-class lubricant, like those in our Delo® family of products, is backed by expert knowledge in the agriculture industry. Our focused expertise will help guide you through your biggest equipment performance challenges and unique agriculture operational needs.

Rely on Caltex Lubricants to help you reach the potential to:

- Maximise Engine Durability
- Extend Service Protection
- Improve Supplier Performance
- Improve Fuel Efficiency



REACH A NEW LEVEL OF RELIABILITY WITH THE RBL™ PROGRAMME

Reliability matters at every step of the value chain. Caltex Lubricants specialists can help add even more value to your lubrication programme by providing expertise along with world-class products and targeted services - all working in sync to help you get the most out of your equipment and operations, time and time again.

To learn more, contact your local distributor.



[CHEVRONLUBRICANTS.COM/RBL](https://www.chevronlubricants.com/rbl)

| ENGINE OILS | GRADES |
|--|------------|
| <p>Delo® 400 MGX It is an API CJ-4 heavy-duty engine oil specifically formulated for on-highway and off-highway applications using either High-Sulphur or Low-Sulphur Diesel and can also provide protection for newer compliant low emission diesel engines with Selective Catalytic Reduction (SCR), Diesel Particulate Filter (DPF) and Exhaust Gas Recirculation (EGR). It is fully compatible with previous diesel engine models and previous API Oil Service Categories including API CI-4 PLUS, API CI-4 and API CH-4.</p> | SAE 15W-40 |
| <p>Delo® XLD Multigrade Synthetic-blend, high performance diesel engine oil suitable for Euro IV or Euro V compliant diesel vehicles not fitted with diesel particulate filters requiring ACEA E4 type of oils. Also designed to meet the performance requirements of high output, European Euro II and Euro III type diesel engines.</p> | SAE 10W-40 |
| <p>Delo® Gold Ultra Delo® Gold Ultra is a high performance, multigrade, heavy-duty diesel engine oil specifically designed to lubricate a wide range of engines requiring API CI-4 or ACEA E7 performance lubricants. Formulated with ISOSYN® Technology.</p> | SAE 15W-40 |

| TRANSMISSION FLUIDS | GRADES |
|---|---------------------|
| <p>Delo® Syn-Trans XE Delo® Syn-Trans XE is a heavy-duty truck synthetic automated manual transmission (AMT) fluid specially formulated for extended drain and severe service operations, and recommended for both factory and service fill of Eaton Ultra Shift Automated Manual Transmissions utilised by the main North American Truck Manufacturers when coupled with Cummins, PACCAR MX or Navistar diesel engines.</p> | SAE 75W-90 |
| <p>Delo® TorqForce™ High performance lubricants designed for use in transmissions, final drives and hydraulic systems requiring a fluid meeting Caterpillar TO-4 or Allison C-4 requirements. Also recommended for transmissions and hydraulic systems manufactured by Dana Powershift, Komatsu Dresser, Tremec (TTC), Vickers, ZF, etc.</p> | SAE 10W, 30, 50, 60 |
| <p>1000THF For use in transmissions, final drives, wet brakes, and hydraulic systems of tractors and other equipment employing a common fluid reservoir.</p> | |

| HYDRAULIC OILS | GRADES |
|--|-----------------------------|
| <p>Clarity® Synthetic Hydraulic Oil AW Caltex's premium synthetic ashless AW hydraulic oils are designed to give maximum protection, help prevent formation of sludge, as well as promote long equipment and oil life and help improve efficiency. Clarity Synthetic AW hydraulic oils can deliver all these benefits in both mobile and stationary hydraulic equipment in environmentally sensitive areas.</p> | ISO 32, 46, 68 |
| <p>Rando® HDZ Premium AW hydraulic oils formulated with premium base oil technology designed for excellent protection for hydraulic systems subjected to wide variations in ambient and operating temperatures while providing some energy efficiency relative to traditional hydraulic oils.</p> | ISO 15, 22, 32, 46, 68, 100 |
| <p>Rando® HD Designed to give robust protection to hydraulic pumps in mobile and stationary equipment.</p> | ISO 32, 46, 68 |
| <p>ISO 100, 150, or 220 are often recommended for hydraulic equipment, reduction gears where EP is not required, reciprocating air compressors, plain and anti-friction bearings, and circulating oil systems where such quality oils are recommended.</p> | ISO 100, 150, 220 |

Always confirm that the product selected is consistent with the original equipment manufacturer's recommendation for the equipment operating conditions and customer's maintenance practices.

| GREASES | GRADES |
|--|--------|
| Delo® Heavy Duty Moly 5% EP For demanding off-road farming applications with excellent performance throughout a wide temperature range, especially where very cold climates are encountered. | NLGI 2 |
| Delo® Grease ESI® Extended service, extreme duty grease for on-road, light-duty (e.g. tractors, cherry pickers, etc.) and off-road vehicle applications. | NLGI 2 |

| GEAR LUBRICANTS | GRADES |
|--|---------------------|
| Delo® Gear ESI For automotive gears operating under severe temperature and load conditions where API GL-5 or MT-1 is recommended and when extended drain capabilities are desired. | SAE 80W-90, 85W-140 |

| COOLANTS | CONCENTRATION |
|---|----------------|
| Delo® ELC Antifreeze/Coolant For use in a wide variety of cooling system applications that require nitrite including on-road, off-road and stationary engine applications. | Premixed 50/50 |
| Delo® XLC Antifreeze/Coolant For use in a wide variety of cooling system applications that require a nitrite-free product including on-road, off-road and stationary engine applications. | Premixed 50/50 |

Always confirm that the product selected is consistent with the original equipment manufacturer's recommendation for the equipment operating conditions and customer's maintenance practices.



Caltex Reliability — The RBL™ Programme is our commitment of business support and reliability: Caltex's lubrication expertise combined with superior products and a tailored service programme work together to help your business Run Better Longer.

chevronlubricants.com/rbl